



LIGHTING UP
MOMENTS

BPM[®]Lighting

Art Director

Bernardo Palomares

Desing and layout

Desing department of BPM Lighting

-

BPM Lighting, from this moment on, reserves the right to reproduce total or partially this catalogue as Copyright owner. All data, sketches and pictures are up to date at the day of print, nevertheless, due to continuous product development and improvement, BPM Lighting reserves the right to alter them without prior notice.

BPM Lighting, a partir de este momento, se reserva el derecho de reproducción total o parcial de este catálogo como propietario del Copyright. Todos los datos, croquis e imágenes están actualizados el día de la impresión, sin embargo, debido al continuo desarrollo y mejora de los productos, BPM Lightingse reserva el derecho de modificarlos sin previo aviso.

BPM Lighting

Copyright © 2018

-

Print date | March 2018

Fecha de impresión | Marzo 2018

www.bpmlighting.com



LIGHTING UP
MOMENTS

1992

1001 | 1003 Classic Crystal




1996

1046 Zamak | 1117 Downlight



2000

1107 Modern Crystal



2004

3040 Optical Crystal




2006

3011 Mini Catli



2009

3005 | 3006 Su Classic



2010

White aluminum



2011

Crismosil®



2013

10178 Alan



10160 Alba



2015

10184 Vancouver



2017

10210 Modulight



25 YEARS

B P M L I G H T I N G

Desde que en el año 1992 abriera sus puertas con 5 trabajadores, la empresa de iluminación BPM Lighting celebra su 25 aniversario con 62 trabajadores en sus instalaciones principales en Dénia, más de 30 comerciales repartidos por el territorio nacional, así como un almacén regulador en Polonia con 18 trabajadores y oficinas comerciales en Francia, Alemania e Inglaterra; sumando un equipo humano de más de un centenar de personas que le llevan a exportar a 41 países.

El continuado éxito de esta empresa familiar, ha estado marcado por la globalización de su visión y por la canalización de sus esfuerzos en la innovación, el diseño y la profesionalidad, los cuales han desempeñado un papel fundamental en su crecimiento.

Desde que Bernardo Palomares pusiera en marcha su negocio, han pasado de la fabricación y comercialización de focos de cristal decorativos, a tener una cartera de más de 250 productos divididos en dos líneas: Structural, especializada en luminarias completamente integrables en techo o pared, Engineering, gama de productos de perfilería en diferentes acabados, instalaciones y tamaños así como otra iluminación técnica.

Actualmente BPM Lighting está apostando por inversiones responsables en I+D+i en nuevas tecnologías LED con el propósito de implantar estos sistemas de alumbrado más eficientes y ecológicos como única opción en todas sus luminarias.

Una larga trayectoria empresarial marcada por 25 años de dedicación, 25 años de calidad y sobre todo, 25 años brillando con luz propia.

Since it opened its doors in 1992 with 5 workers, the lighting company BPM Lighting is celebrating its 25th anniversary with 62 workers at their main facilities located in Dénia, more than 30 sales representatives distributed all over the national territory, as well as a regulatory warehouse in Polonia with 18 workers and commercial offices in France, Germany and England; in total, a human team with more than 100 workers which lead BPM Lighting to export to 41 countries.

The continued success of this family business, has been marked by the globalization of its view, and also by its efforts in innovation, design and its professionalism, which have played a fundamental role in its development.

Since Bernardo Palomares started his business, the company has moved from manufacture and commercialization of decorative crystal spotlights, to a product range of more than 250 luminaires divided in two collections: Structural, specialized in fully integrated luminaires; and Engineering, profile product range in different finishes, installations and sizes as well as other technical lighting.

At the present time, BPM Lighting is betting on I+D+i responsible investments in new LED technologies with the purpose of implanting these more efficient and ecological systems of lighting, as the unique option in their luminaires.

A long business trajectory marked by 25 years of dedication, 25 years of quality and above all, 25 years shining with its own light.



Micro **Martorell** | 16



Tennessee Magnet | 22



Carolina | 18

SPACES OF BPM LIGHTING



Micro **Crate SR** | 42



Rocker | 44

INDEX

ALPHABETICAL
REFERENCE

ALINA RAIL	10	10219	11
ALARIK RAIL	14	10223	19
CAROLINA	18	10225	15
TENNESSEE MAGNET	22	10226	23
TENNESSEE	26	10227	27
TUBULAR Ø 20	30	20125	31
TUBULAR Ø 25	32	20126	33
MICRO MARTORELL	36	20156	37
MARTORELL TR	38	20177	39
CRATE	40	20170	41
CRATE SR	42	20171	41
ROCKER	44	20173	45
CREATING UP	46	20174	45
GUARANTEE	48	20175	43
		20176	43
		20179	39



ALINA RAIL



■ REF. 10219





ALINA RAIL

■ REF. 10219

LED MODULES Ref. 11531

Dimensions

294 | 435 | 575 | 715 | 855 mm

Watts

9,1 | 13,7 | 18,2 | 22,8 | 27,3 W

IRC

80 | 90

Color Temperature

2700 | 3000 | 4000 K

MICRO TUBES Ref. 11532

Dimensions

100 | 200 | 300 | 400 mm

Watts

2 W

Beam angle

20° | 40° | 60°

IRC

80 | 90

Color Temperature

2700 | 3000 | 4000 K

ALARIK RAIL



■ REF. 10225





ALARIK

RAIL

■ REF. 10225

PATRICIA Ref. 20146

Dimensions

130 mm

Watts

5 (x1) | 10 (x2) W

Beam angle

28° | 40°

IRC

80 | 90

Color Temperature

2700 | 3000 | 4000 K

LED MODULES Ref. 11533

Dimensions

294 | 435 | 575 | 715 | 855 mm

Watts

5,9 | 8,9 | 11,8 | 14,8 | 17,7 W

IRC

80 | 90

Color Temperature

2700 | 3000 | 4000 K

LENSES Ref. 11534

Dimensions

85 (x3) | 135 (x5) | 265 (x10) mm

Watts

6 (x3) | 10 (x5) | 20 (x10) W

Beam angle

20° | 40° | 60°

IRC

80 | 90

Color Temperature

2700 | 3000 | 4000 K



CAROLINA



■ REF. 10223







CAROLINA

■ REF. 10223

Dimensions

Ø 450 | Ø 650 | Ø 950 | Ø 1250 mm

Watts

46 | 110 | 200 | 319 W

IRC

80 | 90

Color Temperature

2700 | 3000 | 4000 K



TENNESSEE MAGNET



■ REF. 10226



Ø 1250 mm



Ø 950 mm



Ø 650 mm



Ø 450 mm



Ø 350 mm



Ø 250 mm







TENNESSEE

MAGNET

■ REF. 10226

Dimensions

Ø 250 | Ø 350 | Ø 450 | Ø 650 | Ø 950 | Ø 1250 mm

FLECK Ref. 20167

Dimensions

93 x 40 mm

Watts

7W

IRC

80 | 90

Color Temperature


2700 | 3000 | 4000 K



TENNESSEE



■ REF. 10227







TENNESSEE

■ REF. 10227

Dimensions

Ø 500 | Ø 650 | Ø 950 | Ø 1250 mm

Watts

23,6 | 35,44 | 53,16 | 70,88 W

IRC

80 | 90

Color Temperature

2700 | 3000 | 4000 K



TUBULAR



■ REF. 20125



Dimensions
Ø 20 x 600 | 1000 mm
Watts
2 W
IRC
80 | 90
Color Temperature
2700 | 3000 | 4000 K





TUBULAR



Dimensions

Ø 25 x 600 | 1000 mm

Watts

2 W

IRC

80 | 90

Color Temperature

2700 | 3000 | 4000 K


■ REF. 20126





TUBULAR

MICRO MARTORELL



Dimensions

Ext. Ø 60 | Int. Ø 26

Watts

2 W

Beam angle

20° | 40° | 60°

IRC

80 | 90

Color Temperature

2700 | 3000 | 4000 K

■ REF. 20156



MARTORELL TR



MINI

■ REF. 20179

Dimensions

Ext. Ø 66 | Int. Ø 40

Watts

8 W

Beam angle


15° | 24° | 38°

IRC

80 | 90

Color Temperature

2700 | 3000 | 4000 K



MICRO

■ REF. 20177

Dimensions

Ext. Ø 60 | Int. Ø 26

Watts

2 W

Beam angle

20° | 40° | 60°

IRC

80 | 90

Color Temperature

2700 | 3000 | 4000 K



CRATE

MARTORELL FAMILY



MINI

■ REF. 20170

Dimensions

1 light 84 x 140 mm

2 lights 84 x 260 mm

3 lights 84 x 380 mm

Watts

1 x 8 W | 2 x 8 W | 3 x 8 W

Beam angle

15° | 24° | 38°

IRC

80 | 90

Color Temperature

2700 | 3000 | 4000 K



MICRO

■ REF. 20171

Dimensions

1 light 96 x 48 mm

2 lights 176 x 48 mm

3 lights 256 x 48 mm

Watts

1 x 2 W | 2 x 2 W | 3 x 2 W

Beam angle

20° | 40° | 60°

IRC

80 | 90

Color Temperature

2700 | 3000 | 4000 K



CRATE SR

MARTORELL FAMILY



MINI

■ REF. 20175

Dimensions

1 light 45 x 30 x 120 mm

2 lights 45 x 30 x 240 mm

3 lights 45 x 30 x 360 mm

Watts

1 x 8 W | 2 x 8 W | 3 x 8 W

Beam angle

15° | 24° | 38°

IRC

80 | 90

Color Temperature

2700 | 3000 | 4000 K



MICRO

■ REF. 20176

Dimensions

1 light 34 x 30 x 80 mm

2 lights 34 x 30 x 160 mm

3 lights 34 x 30 x 240 mm

Watts

1 x 2 W | 2 x 2 W | 3 x 3 W

Beam angle

20° | 40° | 60°

IRC

80 | 90

Color Temperature

2700 | 3000 | 4000 K



ROCKER

MARTORELL FAMILY



MINI

■ REF. 20174

Dimensions

1 light 110 x 110 mm
2 lights 110 x 240 mm
3 lights 110 x 370 mm

Watts

1 x 8 W | 2 x 8 W | 3 x 8 W

Beam angle


15° | 24° | 38°

IRC

80 | 90

Color Temperature

2700 | 3000 | 4000 K



MICRO

■ REF. 20173

Dimensions

1 light 95 x 95 mm
2 lights 95 x 185 mm
3 lights 95 x 275 mm

Watts

1 x 2 W | 2 x 2 W | 3 x 3 W

Beam angle


20° | 40° | 60°

IRC

80 | 90

Color Temperature

2700 | 3000 | 4000 K







CREATING UP

BPM LIGHTING

1

Design



2

Prototyping



3

Manufacturing



4

Finished product





GUARANTEE

BPM LIGHTING



BPM Iluminación S.L. garantiza sus luminarias, así como los equipos que distribuye.

1- Los productos de BPM Iluminación, S.L. están garantizados contra cualquier defecto de fabricación (componentes y mano de obra) durante un periodo de dos años a partir de la fecha de compra. En el caso de los LED, la garantía será de 3 a 5 años, variando en función de la marca, modelo y componente.

2- En razón de esta garantía, sólo incumbe a BPM Iluminación S.L. la obligación de reparar o reemplazar el producto o la pieza reconocidos como defectuosos y devueltos a BPM Iluminación S.L.

3- Las reclamaciones por posibles incidencias como que el producto se entregue deteriorado, averiado, equivocado, o por cualquier otra causa susceptible de reclamación, se tratarán de la siguiente forma:

- Siempre deberá devolverse adjuntando copia de la factura o albarán de compra.
- El comprador podrá solicitar la devolución del importe en el plazo de 7 días posteriores a la recepción del pedido. Dependiendo del caso deberá satisfacer gastos directos de devolución y en su caso, indemnizar los desperfectos del producto (según ley del 15/1/96 número 7/1996 del comercio minorista).
- Si por el contrario desea la sustitución del producto, el cliente deberá remitir el mismo a BPM Iluminación, S.L. en el mismo plazo de 7 días, y una vez recibido, se enviará un producto en perfecto estado.

4- Toda devolución de producto invocando la garantía debe ser previamente autorizada por BPM Iluminación, S.L. reservándose ésta el derecho de no autorizarla en caso de no cumplir las cláusulas. En todas las devoluciones el cliente se pondrá en contacto telefónico con el servicio de atención de cliente de BPM Iluminación, S.L., el cual proporcionará un número de avería y/o devolución. Dicho producto defectuoso se devolverá con el precinto de garantía intacto, en su embalaje original con sus balastos, cables y demás elementos que tuviesen en el momento de su compra y con su fallo correspondiente. Deberá ir acompañado de ese número de devolución previamente dado.

GARANTÍA DE SATISFACCIÓN:

Se podrá renunciar a la compra en un plazo máximo de 7 días, a contar desde el día de recepción de la mercancía, y la compra deberá retornarse con su embalaje original completo y en perfecto estado. Para cualquier controversia en la interpretación o ejecución que se suscite, las partes se someten, con renuncia del fuero que pueda corresponderles, a los juzgados y tribunales de la ciudad del comprador.

Las devoluciones deberán tramitarse en la siguiente dirección de correo: info@bpmighting.com, y deberán ser enviadas junto con el original de la hoja de devolución, debidamente cumplimentado, que acompaña al albarán, a la dirección: *Partida Madrigueres Sud, 11, 03700 Dénia (Alicante)*.

Respecto a devoluciones de mercancía que no se encuentre defectuosa, se deben tener en cuenta las siguientes particularidades:

- En general no se aceptarán devoluciones de aquellos productos cuya compra se haya realizado bajo pedido confirmado y productos que hayan quedado descatalogados.
- La devolución del importe se efectuará mediante abono. Para proceder al abono de un producto deberá llegar en perfectas condiciones y con todos sus accesorios.
- Los abonos sólo procederán una vez la mercancía sea aceptada por nuestro servicio de "Asistencia Técnica".
- En las devoluciones a criterio del cliente se abonará el importe de la compra exceptuando los gastos de envío.
- BPM Iluminación, S.L. se reserva el derecho de abonar a una cantidad inferior en caso de que el material no llegue en perfectas condiciones o con todos sus accesorios.

5- El plazo de garantía comienza a partir de la fecha de emisión de factura de BPM Iluminación, S.L., no pudiendo ser ampliado en ningún caso por sustitución de un componente en una reparación o cambio.

6- La pérdida o deterioro durante el transporte por agencia no es responsabilidad de BPM Iluminación, S.L. Existen fabricantes y marcas que ofrecen su garantía directamente. Los teléfonos de contacto y procedimiento de asistencia serán facilitados en caso de necesidad.

CLÁUSULAS DE ANULACIÓN DE LA GARANTÍA:

- Incorrecta utilización, manipulación o mantenimiento por parte del cliente de un equipo, luminaria o componente.
 - Incorrecta reparación, modificación o ampliación por parte del cliente de una luminaria o un equipo.
 - Deterioro, eliminación u ocultación, por parte del cliente, de la etiqueta identificativa de BPM Iluminación, S.L.
- Es decir, no se aceptará ningún material dañado, sin embalaje o con muestras evidentes de una manipulación incorrecta.

LA GARANTÍA NO CUBRE:

Quedan excluidos de toda garantía los defectos y deterioros producidos por hechos externos, accidentes, principalmente accidentes eléctricos, por desgaste y por utilización no conforme a las instrucciones de BPM Iluminación, S.L.

BPM Iluminación, S.L. no se responsabiliza de los errores o roturas producidas en el envío del producto. En caso de defecto u rotura no asumida por parte del departamento de atención técnica, se procederá a la devolución del producto a portes debidos.

Estas condiciones de garantía no afectan a los derechos estatutarios del consumidor amparados por su legislación vigente nacional aplicable.

HOJAS DE RECLAMACIÓN:

De acuerdo con el art. 1 del RD 5/1997 14 Enero, existen a disposición de nuestros clientes, hojas de reclamación en el domicilio social de la empresa.

BPM Iluminación S.L. guarantees its fixtures and distributed gears.

1- BPM Iluminación S.L. products are guaranteed against defects in workmanship (parts and labor) for a period of two years from the date of purchase. In the case of LED, warranty is from 3 to 5 years, varying according to brand, model and component.

2- Due to this guarantee, the incumbent of BPM Iluminación S.L. is the obligation to repair or replace the product or part recognized as defective and returned to BPM Iluminación S.L.

3- Claims for incidents as the product is delivered damaged, broken, wrong, or any other cause shall be treated as follows:

- There will always be returned enclosing a copy of the invoice or the packing list.
- The buyer may request a refund within 7 days of the receipt of the order. Dependend on circumstances must satisfy direct cost of returning and where appropriate, compensate the damage to the product (Spanish Act of 15/1/96 number 7/1996 retail).
- If instead the replacement of the product is requested, the customer must submit them to BPM Iluminación S.L. within 7 days, and once received, the product will be sent in perfect conditions.

4- Any return of product invoking this guarantee must be previously authorized by BPM Iluminación S.L., reserving itself the right not to authorize it in case of not fulfilling the clauses. All returns to be governed by the following points:

- The customer will call the customer service of BPM Iluminación S.L., which will provide a number of breakdown and / or return.
- The defective product will be returned with the warranty seal intact, in their original packaging with their ballasts, cables and other items they had at the time of the purchase and corresponding failure. It must be accompanied by the return number.

SATISFACTION GUARANTEE:

The Customer may return the merchandise within a period of 7 days starting from the day of receipt, and it must be accompanied by the original packaging and in perfect condition. Any dispute regarding the interpretation or execution that may arise, the parties hereby waiving of jurisdiction that may apply, the courts of the city of the buyer.

You should contact with info@bpmighting.com to manage the returns. They should be sent with the original return sheet, duly completed, accompanying by the delivery note, to the following address: *Partida Madrigueres Sud, 11, 03700 Dénia (Alicante)*.

Regarding returns of merchandise that is not defective, you should consider the following features:

- In general, no returns of products whose purchase was made on confirmed order and products that have been discontinued will be accepted.
- The refund will be by a credit note. To proceed to the payment the product should arrive in perfect condition and with all accessories.
- The payments will only proceed once merchandise is accepted by our Technical Support Department. For returns which are up to the customer the amount of the purchase excluding shipping costs will be paid.
- BPM Iluminación S.L. reserves the right to pay a lower amount if the material does not arrive in perfect condition and with all accessories.

5- The warranty period starts from the date of invoice BPM Iluminación S.L. and cannot be extended in any way by replacing a component in a repair or exchange.

6- Loss or damage during the transport is not responsibility of BPM Iluminación S.L.. There are manufacturers and brands that offer their warranty directly. Contact phone number and assistance would be provided if necessary.

CLAUSES OF CANCELLATION OF WARRANTY:

- Improper use, handling or maintenance by the Customer of a gear, lighting fixture or a component.
 - Improper repair, modification or extension by the Customer of a lighting fixture or a gear.
 - Impairment, disposal or concealment by the Customer of the identification label of BPM Iluminación S.L.
- This meaning that no returns without original packaging or with obvious signs of improper manipulation will be accepted.

NOT COVERED:

Excluded from any warranty are the defects and damage caused by external events, accidents, electrical accidents mainly due to wear out and use not in accordance with the instructions of BPM Iluminación S.L.

BPM Iluminación S.L. is not responsible for errors or breakages during the shipping of the product. In case of returns not assumed by our Technical Support Department, they shall be sent back by due freight.

These warranty conditions do not affect consumer's statutory rights protected by national legislation applicable.

LEAVES OF CLAIM:

According to Spanish art. 1 RD 5/1997 14, there are complaint forms available to our Customers at the registered office of the company.



HEADQUARTERS
OFICINAS PRINCIPALES

BPM Lighting
Partida Madrigueres Sud 11 03700 Dénia (Alicante) - Spain
bpmlighting@bpmlighting.com Tel. 0034-965 781 218
-

Poland
REGULATORY WAREHOUSE
ALMACÉN REGULADOR

BPM Lighting Polska Sp. Zo.o. Kolejowa 1
95-035 Ozorków - Polska biuro@bpmlighting.com
Tel. 0048-42 7184020

France
france@bpmlighting.com

Germany
deutschland@bpmlighting.com Tel. 0049-61 316969939

United Kingdom
uk@bpmlighting.com

www.bpmlighting.com



[www.
bpmlighting.
com](http://www.bpmlighting.com)